

# **COLSTEEL CABLE TIES**



Colsteel cable ties are made in stainless steel 304 or 316 with ball lock system, for a quick installation and a low insertion effort. They are characterized by an high resistance to high temperature, to the flame and to corrosion.

Extremely UV-resistant, they are ideal for photovoltaic and solar thermal applications and in all areas exposed to the sun and external agents.

The AISI 316 stainless steel is recommended for use in aggressive environments where a very high corrosion resistance is required.

#### TECHNICAL DATA

Raw material: stainless steel AISI 304 and 316

Halogen-free.

Humidity absorption: no sign.

Working temperature:

-80°C ÷ 538°C.

Not inflammable.

Resistance to external agents: excellent resistance to acids, oils, greases, chemicals, solvents, seawater and to corrosive

atmosphere

excellent resistance to UV rays.

## APPROVALS/CERTIFICATIONS

Compliant with norm CEI EN 62275.

HALOGEN FREE

#### STAINLESS STEEL CABLE TIES - AISI 304 - 316

Code	Code	Dimensions	ø Bundle max	Thickness	Tensile strength		Pack	Carton
AISI 304	AISI 316							pcs.
6701	-	4,6x127	25	0,25	91,80	900	100	4.000
6703	6753	4,6x201	51	0,25	91,80	900	100	3.000
6706	6756	4,6x266	69	0,25	91,80	900	100	3.000
6708	6758	4,6x362	102	0,25	91,80	900	100	3.000
6710	6760	4,6x521	152	0,25	91,80	900	50	1.000
6712	-	4,6x838	254	0,25	91,80	900	50	1.000
6719	6769	7,9x201	51	0,25	204,00	2.000	100	1.500
6720	6770	7,9x266	69	0,25	204,00	2.000	100	1.500
6722	6772	7,9x362	102	0,25	204,00	2.000	100	1.000
6724	-	7,9x521	152	0,25	204,00	2.000	50	1.000
6726	-	7,9x838	254	0,25	204,00	2.000	50	1.000
6728	-	7,9x1.067	304	0,25	204,00	2.000	50	1.000

# **APPLICATIONS**

- ► Fixing of cables and pipes in the shipbuilding industry, offshore platforms, petrochemical plants, oil rigs, and environments with a risk of fire.
- Used as flame safety in electrical installations to fix the metal plates of identification (eg: fire-fighting systems) which must be preserved in the event of fire.
- ► Installations where a high mechanical and UV resistance are required (photovoltaic).

#### **BENEFITS**

- Grip by hand or with the dedicated tool.
- The ball lock system allows a little effort and save time during the installation.
- ► They can be put like fire assurance when other plastic cable ties are used (i.e. in the ship technological plants).
- They can be used like fire assurance when properties of superior strength are required.
- The absence of flashes and cutting edges avoid damages on the cable electrical insulation.





## LINKED PRODUCTS:

Tools for cable ties, see pages 81

